

**King George V**

**ONE PENNY DOWNEY HEAD**

**Controls, Plate Numbers, Marks and Flaws**

**with Sheet Perforation Types**

**A REFERENCE GUIDE**



**Colin Wilde**

**June 2022**

## **Introduction**

The basis for the Guide is a study and collection of KGV 1d Downey Head controls.

A lot of information is available regarding the controls, their plate numbers, printing marks, flaws, and sheet perforation types. The Guide collates this information rather than having it in individual tables, thereby assisting in identifying a block of stamps more easily by determining "what to look for".

Ongoing studies show that information on the KGV 1d Downey Head controls is being continually updated even though the stamps were printed over one hundred years ago! This is especially true in relation to the identification of the printing plates. Based upon various printer's marks in the marginal rules, arbitrary Philatelic Plate Numbers were allocated. The task of correlating these with the Official Plate Numbers continues, as does the search for information for this Guide.

A special thanks to Mike Jackson whose information, advice and access to his collections and exhibits have been a tremendous help in compiling this Guide.



## Contents

<b>Section 1</b>	Page 7	N7 Die 1A	Crown
		Control	A.11, A 11 (w), A 11 (c)
	Page 8	N7 Plates listing	
<b>Section 2</b>	Page 9	N8 Die 1B	Crown
		Control	A.11, A 11 (w), A 11 (c)
	Page 12	N8 Plates listing	
<b>Section 3</b>	Page 13	N11 Die 2	Crown
		Control	B.11, B.12, B 11, B 12 (c), B 12 (w)
<b>Section 4</b>	Page 17	N12 Die 2	Simple Cypher
		Control	B 12 (w), B 13
<b>Section 5</b>	Page 18	N13 Die 2	Multiple Cypher
		Control	B.12, B 12 (w)
	Page 19	N11, N12 and N13 Plates listing	

### Special note regarding the order of printing of the Die 2 stamps

Issued to the public in the order:

Crown	January 2012
Simple Cypher	August 2012
Multiple Cypher	October 2012

But the order of printing is not clear. A study of the plates put to press suggests that the Stamps on Simple Cypher paper were not printed until after the printing on Multiple Cypher paper.



## Layout information

### Sheets

The sheets were printed by letterpress in 20 rows of 12 stamps.  
Each stamp or block of stamps can be identified by the row and position in the row,  
for example:

Bottom right hand corner single would be R.20/12

Bottom right hand corner strip of three would be R.20/10.11.12

### Reference coding for each cell is alpha-numeric

N7102

N7 being the SG Specialised Catalogue number.

102 being an arbitrary number allocated to an item in  
my collection.

Note: For a single item the reference no. is in the plate mark or flaw information column.

Blank cell                                   The item may exist but no examples seen.

### Plate numbering

The Official Plate Number does not appear on a sheet.

Based upon various printer's marks in the marginal rules arbitrary Philatelic Plate Numbers  
have been allocated. See Appendices.

### Plate markings

Printer's marks were made deliberately in the rules of the plate for identification.

Other constant marks in the rules are noted where useful.

### Plate marking measurements

Cuts and other marks in side (vertical) rules are measured from the bottom of the rule  
to the centre of the cut or mark.

Those in the bottom (horizontal) rules are described by reference to the stamp above.

### Plate flaws

These are errors in the printing process.

Most plate flaws are white (un-inked) because damage usually takes material  
away from the printing surface of a letterpress plate.

Some plate flaws are listed by SG with a lower case letter, e.g. N7b.

Other plate flaws that have been identified, some being constant, are shown as e.g. N7(?).

### Sheet Perforations Types

Not known

\*

Known to exist

Y

Example of numbers seen

Y(36)

in a 1979 survey of perforation types undertaken by Mike Jackson

Example of numbers seen

Y(\*)

but not in 1979 survey

## **References**

SG Specialised Catalogue Volume 2, 14th edn, 2015.

GBPS – Various reference material and The GB Journal.

Downey Head Perforation Types – Mike Jackson Exhibit Collection 2015.

Douglas N. Muir, King George V Printing Plates, 2015.

Philatelic Review, Vols 1, 2, 3, 4, 5 and Vol. 6, No. 1, Candlish McCleery Ltd, 1977–1982.

## Section I

### Die 1A Lion unshaded

The line nearest to the crown on the right-hand ribbon shows as a short line at the bottom of the ribbon.

N7 SG 327/8 1d Die 1A crown carmine red

### N7 SG 327/8

#### 1d die 1A Crown carmine-red

#### A.11 Somerset House printing

	Plate No.	Plate mark or flaw information	Quick Row Ref	Perf 1 Y (*)	Perf 1a Y (2)	Perf 2 Y (5)	Perf 2a Y (2)	Perf 2c *	Perf 3 *
Plate marks	1	Dot R.19 right side, 11mm ; cut under of R.20/2 ; cut under NN of R20/7	R.19 rhs ; R.20/2 ; R20/7			<b>N701</b> R.19/10.11.12 R.20/10.11.12		*	*
Plate marks	2a	Cut under P of R.20/1	R.20/1		<b>N700</b> R.20/10.11.12			*	*

### N7 SG 327/8

#### 1d die 1A Crown carmine-red

#### A11 (w) 2mm between figures at foot

	Plate No.	Plate mark or flaw information	Quick Row Ref	Perf 1 *	Perf 1a Y (72)	Perf 2 Y (108)	Perf 2a Y (13)	Perf 2c Y (15)	Perf 3 *
Plate flaw	??? N7 (?)	Line through 'V' of revenue	R.20/12	*			<b>N730</b> R.20/10.11.12		*
Plate marks	1	Dot R.19 right side, 11mm ; cut under of R.20/2 ; cut under NN of R20/7	R.19 rhs ; R.20/2 ; R20/7	*		<b>N710</b> R.19/10.11.12 R.20/10.11.12			*
Plate marks	2a	Cut under P of R.20/1	R.20/1	*					*
Plate marks	2b	Added cut R.20 right,13.5 mm	R.20 rhs	*					*
Plate marks	3a	Dot R.20 right side, 12.75 mm ; rule broken under EP of R.20/11 in later printings	R.20 rhs ; R.20/11	*	<b>N704</b> R.19/10.11.12 R.20/10.11.12			<b>N711</b> R.19/10.11.12 R.20/10.11.12	*
Plate marks	3b	Dot R.20 right side enlarged	R.20 rhs	*					*
Plate marks	4a	Small 'U' mark under (N)E of R.20/3	R.20/3	*		<b>N703</b> R.20/10.11.12			*
Plate flaws	4a N7 (?)	Small 'U' mark under (N)E of R.20/3, cross on crown almost missing R20/2	R.19, R.20/2, R20/3	*	<b>N703A</b> R.19/1 to 6 R.20/1 to 6				*
Plate marks	4b	Added ½ dot (inner) R.19 right side 10.25mm; dot R.19 left side, 12.5 mm	R.19 rhs R.19 lhs R.20/9	*					*
Plate marks	4c	Added cut under (P)E of R.20/11 N725	R.20/11	*					*
Plate marks	4c	Small nick (lower) under (N)E of R.20/9	R.20/9	*					*
Plate flaws	4a,b&c N7(h)	White fleur-de-lis R.16/1	R.16/1	*					*
Plate marks	6	Dot R.17 right side, 9.5 mm; (rule broken under NN of R.20/2 in later printings)	R.17 rhs ; R.20/2	*		<b>N716</b> R.20/10.11.12			*
Plate flaws	6 N7 (?)	Nick in tablet above (N)N	R4/3	*					*
Plate flaws	6 N7 (?)	Make ready flaw below R.20/2 extending into stamp	R.20/2	*					*
Plate flaws	6 N7 (?)	White mark on left fork of Y	R.20/8	*					*
Plate marks	9	½ Dot (outer) R.20 right side, 10 mm: rule broken under (N)E of R.20/11 in later printings.	R.20 rhs ; R.20/11	*	<b>N715</b> R20/10.11.12	<b>N701A</b> R20/11.12			*
Plate flaws	9 N7(i)	Flaw between E and P R.20/11	R.20/11	*					*



	Plate No.	Plate mark or flaw information	Quick Row Ref	Perf 1 *	Perf 1a Y (72)	Perf 2 Y (108)	Perf 2a Y (13)	Perf 2c Y (15)	Perf 3 *
Plate marks	10	Cut R.19 right side, 10.5 mm left of R.20/11 rule cut away	R.19 rhs R.20.11	*					*
Plate marks	10a	Some wear on left ribbon; unlisted in SG	R.20/12	*	<b>N702</b> R.20/10.11.12				*
Plate marks	10b	Some wear on left ribbon; added cut under 'Y' unlisted in SG	R.20/12	*					*
Plate marks	13a	Dot R.18 right side, 10.5 mm ; small nick (outer) R.20 right side, 13 mm	R.18 rhs ; R.20 rhs	*		<b>N708</b> R.20/10.11.12			*
Plate flaws	13a	White dash between E and P R20/2 ; unlisted by SG	R.20/2	*					*
Plate marks	13b	Dot R18 rhs 10.5 mm ; added dot R.18 left side, 12.5 mm ; small nick (outer) 13mm R20 rhs	R.18 lhs R.20 rhs	*		<b>N720</b> R20/10.11.12			*
Plate flaws	13b N7 (?)	White dash between E and P R20/2.; unlisted by SG	R20/2	*					*
Plate flaws	13b N7 (?)	Vertical white line through tail above NN R20/11.; unlisted by SG	R20/11	*					*
Plate flaws	13b N7 (?)	Wear below left figure R20/11 : unlisted by SG	R20/11	*					*
Plate flaws	13b N7 (?)	Tiny frame break at NE corner R20/12 : unlisted by SG	R20/12	*					*
Plate flaws	13b N7(j)	Gash under crown R.19/11	R.19/11	*					*
Plate flaws	13b N7(k)	R.20/11 pale area by lion's paw	R.20/11	*		<b>N705</b> R.20/10.11.12 <b>N709</b> R.19/6 to 12 R.20/6 to 12 <b>N730</b> bottom row			*
Plate flaws	13b N7(k)	R.20/11 pale area by lion's paw ; small frame break upper right corner ; unlisted by SG	R.20/11 ; R.20/12	*		<b>N750</b> R.19/10.11.12 <b>N755</b> R.15 to 20 RHS			*
Plate marks	13c	Added cut under (P)E of R.20/10	R.20/10	*					*
Plate flaws	13c N7(j)	Gash under crown R.19/11	R.19/11	*					*
Plate flaws	PI ?? N7(f)	No cross on crown		*					*

**N7 SG 327/8**

**1d die 1A Crown carmine-red**

**A11 (c) 1.5mm between figures at foot**

	Plate No.	Plate mark or flaw information	Quick Row Ref	Perf 1 *	Perf 1a *	Perf 2 Y (5)	Perf 2a Y (1)	Perf 2c Y (3)	Perf 3 *
Plate marks	2b	Added cut R.20 right, 13.5 mm	R.20 rhs	*	*				*
Plate marks	13b	Added dot R.18 left side, 12.5 mm	R.18 lhs	*	*				*
Plate marks	13c	Added cut under (P)E of R.20/10	R.20/10	*	*				*

**APPENDIX I**

**N7 1d Die 1a - 8 plates put to press; 8 are recognised by SG**

- |   |                                    |   |                                |
|---|------------------------------------|---|--------------------------------|
| 1 | Plate 1                            | 6 | Plate 9                        |
| 2 | Plate 2a and b                     | 7 | Plate 10                       |
| 3 | Plate 3a and b Official Plate 7/23 |   | Plate 10a Official plate 19/35 |
| 4 | Plate 4a,b and c                   | 8 | Plate 13a, b and c             |
| 5 | Plate 6                            |   |                                |

## Section 2

### N8 Die 1B Lion unshaded

The second line of shading on the ribbon to the right of the crown is broken in the middle.

The first line is no more than a dot.

### N8 SG 329/31 1d Die 1b crown Carmine

#### A.11 Somerset house printing

Minute nick, R.19 right side, 8.5 mm is a master plate flaw

	Plate No.	Plate mark or flaw information	Quick Row Ref	Perf 1 *	Perf 1a *	Perf 2 Y (55)	Perf 2a Y (55)	Perf 2c Y (?)	Perf 3 *
Plate marks	???	Frame break over 'P' of penny	R.20/11	*	*	<b>N812</b> R.20/10.11.12			*
Plate flaw	N8 (?)	Snake like flaw R.20/12 RHS inner 9.5 mm	R.20/12	*		<b>N802</b> R.20/12			*
Plate marks	3a	No plate mark		*	*		<b>N814</b> R.20/10.11.12		*
Plate flaw	3a N8 (?)	Unlisted variety "white patch in lower left frame" R.20/11	R.20/11	*	*		<b>N803B</b> R.20/10.11.12		*
Plate marks	3b	Added cut R.20 right side, 11.5mm	R.20 rhs	*	*				*
Plate flaw	3b N8(e)	Frame break over EP R.19/11	R.19/11	*	*				*
Plate marks	3c	Added cut R.17 right side, 11mm.	R.17 rhs	*	*				*
Plate mark	9a	Minute nick at top 1mm from left under R.20/11	R.20/11	*	*	<b>N803</b> R.19/10.11.12 R.20/10.11.12 <b>N803A</b> R.20/10.11.12 <b>N803D</b> bottom row <b>N816</b> R.20/10.11.12			*
Plate mark	15a	Minute dot under (P) E of R.20/9	R.20/9	*	*	<b>N803C</b> R20/10.11.12			*
Plate flaws	15a N8 (?)	Minute dot top of 'O' of one	R.20/11	*	*		<b>N810</b> R.20/10.11.12 <b>N820</b> R.19/10.11.12 R.20/10.11.12		*
Plate flaws	15a N8 (?)	Minute dot under (P) of R.20/9	R.20/9	*	*		<b>N801</b> R.20/10.11.12		*

### N8 SG 329/31

#### 1d die 1b crown Carmine

A11 (w) 2mm between figures at foot

Minute nick, R.19 right side, 8.5 mm is a master plate flaw

	Plate No.	Plate mark or flaw information	Row Ref	Perf 1 *	Perf 1a *	Perf 2 Y (5)	Perf 2a Y (4)	Perf 2c Y (-)	Perf 3 *
Plate marks	7	Cut under PE of R.20/12: cut R.20 rhs, 10 mm: damage under NY of R.20/11; fine cut R.20 left side, 10.5mm.	R.20/11; R.20 lhs; R.20 rhs; R.20/12	*	*				*
Plate marks	8a	½ cut ( base ) under (N)E of R.20/11: cut R.19 rhs 13.75 mm; large break R.18 left side, 13.5 mm; very fine cut R.19 left side, 17 mm	R.20/11 R.19 rhs R.18 lhs R.19 lhs	*	*				*

N8 SG 329/31

1d die 1b crown Carmine

A11 (c) 1.5mm between figures at foot

Minute nick, R.19 right side, 8.5 mm is a master plate flaw

	Plate No.	Plate mark or flaw information	Quick Row Ref	Perf 1 Y (2)	Perf 1a Y (10)	Perf 2 Y (240)	Perf 2a Y (89)	Perf 2c Y (7)	Perf 3 Y (14)
Plate flaw	N8 (?)	Unlisted constant variety White spot above right of 'O' in frames R.20/11 <b>N808B</b>	R.20/11						
Plate mark	1	No marking							
Plate mark	2	Cut R.20 rhs 9mm. Reversed '4' under R.20/12	R.20 rhs R.20/12			<b>N820A</b> R.20/10.11.12	<b>N809</b> R.20/11,12 <b>N809B</b> R.20/10.11.12	<b>N822</b> R.20/10.11.12	
Plate mark	3a	No marking							
Plate mark	3b	Added cut R.20 right side, 11.5mm	R.20 rhs						
Plate flaw	3b N8(e)	Frame break over EP R.19/11	R.19/11			<b>N818</b> R.19/10.11.12 R.20/10.11.12			
Plate mark	3c	Added cut R.17 right side, 11mm.	R.17 rhs						
Plate flaw	3c N8(e)	Frame break over EP R.19/11	R.19/11						
Plate mark	4	Cut R.20 rhs, 14.5 mm; cut R.17rhs, 12mm; damage (outer) to R.15 rhs, 5mm.	R.20 rhs R.17 rhs R.15 rhs						
Plate flaw	4 N8(f)	Small white spot on forehead R.20/11 <b>N807A</b>	R.20/11		<b>N830A</b> R.19/7 to 12 R.20/7 to 12				
Plate mark	5	Cut R.20 rhs, 13.5 mm: right below R20.12 thicker at base	R.20 rhs R.20.12			<b>N809A</b> R.20/10.11.12			
Plate mark	6a	No marking							
Plate flaw	6a N8(g)	Scratch to right of left figure "1" R.20/11 <b>N810</b>	R.20/11						
Plate mark	6b	Added 1/2 dot (outer) R.20 rhs, 12 mm	R.20 rhs						
Plate flaw	6b N8(g)	Scratch to right of left figure "1" R.20/11	R.20/11						
Plate mark	7	Cut under PE of R.20/12: cut R.20 rhs, 10 mm: damage under NY of R.20/11; fine cut R.20 left side, 10.5mm.	R.20/12 R.20 rhs R.20/11 R.20 lhs			<b>N804</b> R20/11.12	<b>N805</b> R.20/11.12		<b>N807</b> R.20/10.11.12
Plate mark	8a	½ cut ( base ) under (N)E of R.20/11: cut R.19 right side, 13.75 mm;large break R.18 left side, 13.5mm; very fine cut R.19 left side, 17mm.	R.20/11 R.19 rhs R.18 lhs R.19 lhs			<b>N807B</b> R.20/11.12		<b>N824</b> R.19/10.11.12 R.20/10.11.12	
Plate mark	8b	Added cut R.20 rhs, 11.75 mm	R.20 rhs						
Plate mark	9a	Minute nick at top 1mm from left under R.20/11 scoops in interpane gutter third and fourth pillars	R.20/11						
Plate mark	9b	Nick has disappeared; added cut R.19 rhs,15.75 mm	R.19 rhs						

	Plate No.	Plate mark or flaw information	Quick Row Ref	Perf 1 Y (2)	Perf 1a Y (10)	Perf 2 Y (240)	Perf 2a Y (89)	Perf 2c Y (7)	Perf 3 Y (13)
Plate mark	10b	Added cut R.19 rhs , 11.5mm	R.19 rhs						
Plate flaw	10b N8 (m)	White dot to left of lion's paws R.20/1	R.20/1						
Plate flaw	10b N8 (n)	Frame break above "E" of "ONE" R.20/7	R.20/7						
Plate flaw	10b N8 (?)	Unlisted constant variety "frame break over O of one" R.20/11	R.20/11			<b>N815</b> R.19/10.11.12 R.20/10.11.12 <b>N816B</b> R.19/10.11.12 R.20/10.11.12			
Plate flaw	10b	Speck below E of POSTAGE R.20/10 unlisted by SG	R.20/10						
Plate mark	11	Cut R.19 rhs, 9 mm	R.19 rhs			<b>N816C</b> R.19/10.11.12 R.20/10.11.12			
Plate mark	12	Cut R.19 rhs, 8 mm	R.19 rhs						
Plate flaw	12 N8 (k)	Pale lion R.19/12	R.19/12			<b>N825</b> R.19/11.12 R20/11.12			
Plate mark	14	Cut R.17 rhs, 9mm; below R.20/12 split at right, frame break above 'P' of penny R.19/12	R.17 rhs R.20/12 R.19/12					<b>N821</b> R.19/10.11.12 R.20/10.11.12	
Plate flaw	14 N8 (d)	White spot left of O, and white dot above T of POSTAGE R.20/11 <b>N804</b> R.20/11	R.20/11			<b>N8P040</b> R.19/10.11.12 R.20/10.11.12			
Plate mark	15a	Minute dot under (P)E of R.20/9	R.20/9				<b>N801</b> R.20/10.11.12		
Plate mark	15b	Dot has disappeared; added cut R.18 rhs, 14.5 mm.	R.18 rhs						
Plate flaw	15b	Tiny spur of colour in top of 'O' of one	R.20/11						
Plate flaw	15b N8(?)	Break in leaf to right of bottom ribbon R.20/12	R.20/12			<b>N813</b> R.20/10.11.12			
Plate mark	16	Cut R.17 lhs, 16 mm	R.17 lhs						
Plate flaw	16 N8 (h)	Broken ribbon under last E of REVENUE R.20/10	R.20/10 R.20/11			<b>N822A</b> R.20/10.11.12	<b>N819</b> R.20/10.11.12		
Plate flaw	16 N8 (l)	Plate 16 and N8 ( l ) White scratch to left of lion's face R.20/11	R.20/11			<b>N812A</b> R.19/11.12 R.20/11.12 <b>N811</b> R.19/11.12 R.20/11.12			

## Appendix II

**N8 die 1b -18 (19) plates put to press: 16 recognised by SG.**

**The 1d Die 1b A.11 controls were used on three plates**

- 1 Plate 1
- 2 Plate 2
- 3 Plate 3a,b and c (3b/c now 3a/b)  
Plate 3a Official plate 44/106
- 4 Plate 4
- 5 Plate 5
- 6 Plate 6a and 6b
- 7 Plate 7
- 8 Plate 8a and b
- 9 Plate 9a and b (9b now 9)  
Plate 9a Official plate 39/101
- 10 Plate 10a and b
- 11 Plate 11
- 12 Plate 12
- 13 Plate 13 deleted. Now part of Plate 15
- 14 Plate 14
- 15 Plate 15a and b (15b now 15)  
Plate 15a Official plate 40/102
- 16 Plate 16
- 17
- 18
- 19

### Section 3

Die 2 crown Lion shaded

N 11 SG 341/3 1d Die 2 Scarlet

B.11 Somerset House printings

	Plate No.	Plate mark or flaw information	Quick Row ref	Perf 1 *	Perf 1a *	Perf 2 Y (8)	Perf 2a Y (9)	Perf 2c *	Perf 3 *
Plate marks	6a	Dot above R.1/1 in top row	R.1/1	*	*		<b>N1100</b> R.20/10.11.12 <b>N1102</b> R.20/10.11.12	*	*
Plate marks	8a	Minute dot R.19 rhs, 15 mm	R.19 rhs	*	*	<b>N1101</b> R.20/10.11.12		*	*

N 11 SG 341/3

1d Die 2 crown Scarlet

B.12 Somerset House printings

	Plate No.	Plate mark or flaw information	Quick Row ref	Perf 1 *	Perf 1a *	Perf 2 Y (22)	Perf 2a Y (11)	Perf 2c *	Perf 3 *
Plate marks	2a	Break R.19 rhs, 13.5 mm	R.19 rhs	*	*	<b>N1106</b> R.19/10.11.12 R.20/10.11.12		*	*
Plate marks	6a	Dot above R.1/1 in top row	R.1/1	*	*	<b>N1107</b> R.19/10.11.12 R.20/10.11.12	<b>N1107A</b> R.20/10.11.12 <b>N1105</b> R.20/10.11.12	*	*
Plate marks	8a	Minute dot R.19 rhs, 15 mm	R.19 rhs	*	*	<b>N1103</b> R.19/10.11.12 R.20/10.11.12 <b>N1104</b> R.19/10.11.12 R.20/10.11.12		*	*

N 11 SG 341/3

1d Die 2 crown Scarlet

B11

	Plate No.	Plate mark or flaw information	Quick Row ref	Perf 1 Y (4)	Perf 1a Y (27)	Perf 2 Y (78)	Perf 2a Y (42)	Perf 2c *	Perf 3 Y (2)
Plate marks	1a or 1b	Added dot under EP of R.20/5	R.20/5				<b>N1120</b> R.19/10.11.12 R.20/10.11.12 <b>N1121A</b> R.19/10.11.12 R.20/10.11.12	*	
Plate flaws	2 N11 (?)	"star shaped flaw behind lion's main" R.20/11				<b>N1125</b> R.20/10.11.12 <b>N1115</b> R.20/10.11.12 <b>N1119</b> R.19/10.11.12 R.20/10.11.12		*	
Plate marks	2a or 2b	Added dot under NE of R.20/6	R.20/6			<b>N1119</b> R.20/10.11.12		*	
Plate marks	3a or 3b	Added dot under NN of R.20/7	R.20/7					*	
Plate flaws	3a or 3b N11 (?)	Tiny speck under (N)E of R20/10	R20/10			<b>N1114</b> R.20/10.11.12		*	
Plate marks	4a	Small dash just below rule of R.20/11 under (N)E	R.20/11					*	
Plate marks	4b	Added dot under N(E) of R.20/8	R.20/8					*	
Plate marks	5a	Small dash just below rule of R.20/11 under EN; rule under base of R.20/11 extends to right	R.20/11			<b>N1135</b> R.20/10.11.12		*	
Plate marks	5b	Added dot under (P)E of R.20/9						*	
Plate flaws	5b N11 (e)	Coloured blot on O of ONE , R.20/10	R.20/10		<b>N1121C</b> R.20/10.11.12			*	
Plate marks	6b	Added dot under EP of R.20/10	R.20/10		<b>N1121D</b> R.19/9.10.11.12 R.20/9.10.11.12	<b>N1116</b> R.20/10.11.12	<b>N1111</b> R.20/10.11.12	*	
Plate marks	7a	Small shreds breaks in (base) of 11 th under (P) and at right	R.20/11				<b>N1118</b> R.20/10.11.12	*	
Plate marks	7b	Added dot under E(P) of R.20/11	R.20/11			<b>N 1117</b> R.20/10.11.12 <b>N1124</b> R.20/11.12		*	<b>N1112</b> R.20/10.11.12
Plate marks	8b	Added dot under EP of R.20/12	R.20/12		<b>N1113</b> R.20/10.11.12	<b>N1121B</b> R.19/10.11.12 R.20/10.11.12 <b>N1126</b> R.20/11.12 <b>N1124</b> R.20/10.11.12	<b>N1130</b> R20/10.11.12	*	

N11 SG 341/3

1d Die 2 crown Scarlet

B12 (w) space between 'B' and serif of '1' is 6 mm

	Plate No.	Plate mark or flaw information	Quick Row ref	Perf 1 *	Perf 1a *	Perf 2 Y (113)	Perf 2a Y (48)	Perf 2c *	Perf 3 *
Plate marks	2b	Added dot under NE of R.20/6	R.20/6	*	*			*	*
Plate marks	11	Cut under (P) E of R.20/9	R20/9	*	*		<b>N1147</b> R.19/10.11.12 R.20/10.11.12 <b>N1148</b> R.19/10.11.12 R.20/10.11.12	*	*
Plate marks	12	½ cut under PE R.20/10	R.20/10	*	*	<b>N1134</b> R.20/10.11.12 <b>N1145</b> R.20/1 to 12 bottom row <b>N1154</b> R.20/10.11.12 <b>N1153</b> R.19/10.11.12 R.20/10.11.12	<b>N1137</b> R.20/10.11.12 <b>N1150</b> R.19/10.11.12 R.20/10.11.12	*	*
Plate flaws	12 N11 (?)	Flaw on forehead	R19/7	*	*		<b>N1120A</b> R.19/1 to 12 R.20/1 to 12	*	*
Plate marks	13	Cut under P of R.20/11	R.20/11	*	*	<b>N1145B</b> R.19/10.11.12 R.20/10.11.12	<b>N1145A</b> R.20/1 to 12 bottom row <b>N1160</b> R.20/10.11.12	*	*
Plate marks	14	Cut under (P) E of R.20/12	R20.12	*	*	<b>N1146</b> R.19/10.11.12 R.20/10.11.12 <b>N1149</b> R.19/11.12 R.20/11.12 <b>N1144A</b> R.20/10.11.12	<b>N1151</b> R.20/10.11.12	*	*
Plate marks	15	Small dot R.19 rhs, 9.25 mm	R.19 rhs	*	*			*	*
Plate marks	16a	Plate 16a Two small dots R.20 rhs, 10.5 and 16 mm; rule broken under EP of R.20/11 in later printings on Crown paper	R.20 rhs R.20/11	*	*	<b>N1142</b> R.20/11.12 <b>N1135A</b> R.20/10.11.12		*	*
Plate flaws	16a N11 (?)	Frame break upper left corner of 'O' R.20/12	R.20/12	*	*	<b>N1155</b> R.20/10.11.12		*	*



N 11 SG 341/3

1d Die 2 crown lion shaded Scarlet

B12 (c) space between 'B' and serif of '1' 4.5 mm

	Plate No.	Plate mark or flaw information	Quick Row ref	Perf 1 *	Perf 1a Y (19)	Perf 2 Y (53)	Perf 2a Y (47)	Perf 2c *	Perf 3 Y (10)
Plate marks	1c	Added cut under right serif of P of R.20/11	R.20/11	*				*	
Plate marks	2b	Plate 2b Added dot under NE of R.20/6	R.20/6	*				*	
Plate marks	3b	Added dot under NN of R.20/7	R.20/7	*	<b>N1129</b> R.20/10.11.12 <b>N1170</b> R.19/7 to 12 R.20/7 to 12			*	
Plate marks	4b	The disturbance and dash to the bottom of the rule under ONE of 20/11 is semi-constant	R20/11	*	<b>N1130B</b> R.19/10.11.12 R.20/10.11.12			*	
Plate marks	4b	Added dot under N(E) of R.20/8	R.20/8	*				*	
Plate marks	5b	Added dot under P(E) of R.20/9	R.20/9	*				*	
Plate flaws	5b N11 (e)	Coloured blot at bottom of O of ONE, R20/10	R20/10	*				*	
Plate flaws	6b N11 (?)	Tiny coloured bump on outside of left frame-line above P of Postage	R20/12	*		<b>N1140</b> R.20/10.11.12		*	
Plate marks	6b	Added dot under EP of R.20/10	R.20/10	*		<b>N1130A</b> R.20/10.11.12	<b>N1132A</b> R.19/10.11.12 R.20/10.11.12	*	
Plate flaws	6b N11 (h)	No cross on crown	R.20/10	*		<b>N1130C</b> R.20/10/11/12		*	
Plate marks	7b	Added dot under E(P) of R.20/11	R.20/11	*			<b>N1131A</b> R.19/11.12 R.20/11.12	*	<b>N1131</b> R.20/10.11.12 R.20/10.11.12
Plate marks	8b	Added dot under EP of R.20/12		*		<b>N1133</b> R.19/10.11.12 R.20/10.11.12 <b>N1135A</b> R.20/10.11.12	<b>N1133A</b> R.19/10.11.12 R.20/10.11.12	*	
Plate marks	9a	Dash under PE of R.20/11	R.20/11	*				*	
Plate marks	9b	Dash under PE of R.20/11. Added dot under EP of R.20/11 <b>N1137</b>	R.20/11	*				*	
Plate marks	10a	Dash under PE of R.20/12; R.20/11 rule thin and irregular	R.20/11	*				*	
Plate marks	10b	Added dot under (N) of R.20/12	R.20/12	*		<b>N1133B</b> R.19/10.11.12 R.20/10.11.12	<b>N1124A</b> R.20/11.12	*	
Plate marks	19a	Plate 19a Added ½ dot under (P)E of R.20/11	R.20/11	*				*	
Plate marks	19b	Added ½ dot under (P)E of R.20/12	R.20/12	*				*	

**Section 4**

**N12 SG 345 1d Die 2 Scarlet**

**Die 2 SC Lion shaded**

**B 12 (w)**

	Plate No.	Plate mark or flaw information	Quick Row ref	Perf 1 *	Perf 1a *	Perf 2 Y (87)	Perf 2a Y (80)	Perf 2c *	Perf 3 *
Plate marks	11	Cut under PE of R.20/9	R.20/9	*	*	<b>N1213C</b> R.19/9.10.11.12 R.20/9.10.11.12	<b>N1205</b> R.20/10.11.12 <b>N1206</b> R.20/10.11.12	*	*
Plate marks	12	½ cut under PE of R.20/10	R.20/10	*	*	<b>N1211</b> R.19/10.11.12 R.20/10.11.12 <b>N1212</b> R.19/10.11.12 R.20/10.11.12 <b>N1214A</b> R.20/1 to 12 bottom row	<b>N1214</b> R.20/1 to 12 bottom row	*	*
Plate marks	13	Cut under P of R.20/11	R.20/11	*	*		<b>N1213</b> R.19/10.11.12 R.20/10.11.12 <b>N1217</b> R.20/11 <b>N1220</b> R.20/10.11.12	*	*
Plate marks	16a	Plate 16a – Two small dots R.20 rhs, 10.5 and 16 mm; rule broken under EP of R20/11 in later printings	R.20 rhs R20/11	*	*	<b>N1209</b> R.20/10.11.12 <b>N1210A</b> R.20/10.11.12 <b>N1208</b> R.20/10.11.12 <b>N1204</b> R.20/10.11.12 <b>N1216</b> R.20/1 to 12 bottom row		*	*
Plate flaws	16a N12 (?)	Dot over 'O' R.20/10	R.20/10	*	*	<b>N1215</b> R.20/10.11.12		*	*

**N12 SG 345**

**1d Die 2 SC Scarlet**

**B 13**

	Plate No.	Plate mark or flaw information	Quick Row ref	Perf 1 *	Perf 1a *	Perf 2 Y (36)	Perf 2a Y (43)	Perf 2c *	Perf 3 *
Plate marks	11	Cut under PE of R.20/9	R.20/9	*	*	<b>N1223</b> R.20/1 to 12 bottom row		*	*
Plate marks	12	½ cut under PE of R.20/10	R.20/10	*	*			*	*
Plate marks	15	Small dot R.19 rhs 9.25 mm	R.19 rhs	*	*		<b>N1221</b> R.19/10.11.12 R.20/10.11.12	*	*
Plate marks	16b	Added dot under P of R.20/12	R.20/12	*	*	<b>N1220</b> R.19/10.11.12 R.20/10.11.12		*	*
Plate marks	17	Cut under P of R.20/9	R.20/9				<b>N1219</b> R.19/10.11.12 R.20/10.11.12		
Plate marks	18	Dot under PE of R.20/10	R.20/10	*	*	<b>N1226</b> R.19/10.11.12 R.2010.11.12		*	*

## Section 5

Die 2 MC Lion shaded

N13 SG 349/50 1d Die 2 MC Scarlet

### B.12 Somerset House printing

	Plate No.	Plate mark or flaw information	Quick Row ref	Perf 1 *	Perf 1a *	Perf 2 Y (*)	Perf 2a Y (*)	Perf 2c *	Perf 3 *
Plate marks	2a	Break R.19 rhs 13.5 mm	R.19 rhs	*	*			*	*
Plate marks	8a	Minute dot R.19 rhs, 15 mm	R.19 rhs	*	*			*	*

N13 SG 349/50

1d Die 2 MC Scarlet

### B12 (w)

	Plate No.	Plate mark or flaw information	Quick Row ref	Perf 1 *	Perf 1a *	Perf 2 Y (36)	Perf 2a Y (34)	Perf 2c *	Perf 3 *
Plate marks	11	Cut under PE of R.20/9	R.20/9	*	*	<b>N1307</b> R.20/1 to 12 bottom row <b>N1303</b> R.20/10.11.12		*	*
Plate marks	12	Plate 12 – ½ cut under PE R.20/10	R.20/10	*	*		<b>N1304</b> R.19/10.11.12 R.20/10.11.12	*	*
Plate marks	13	Cut under P of R.20/11	R.20/11	*	*	<b>N1306</b> R.19/8.9.10.11.12 R.20/7.8.9.10.11.12 <b>N1307A</b> R.19/10.11.12 R.20/10.11.12	<b>N1315</b> R.19/11.12 R.20/11.12	*	*
Plate marks	16a	Two small dots R.20 rhs, 10.5 and 16 mm; rule broken under EP of R.20/11 in later printings on Crown paper	R.20 rhs R.20/11	*	*		<b>N1308</b> R.20/10.11.12 <b>N1310</b> R.19/10.11.12 R.20/10.11.12	*	*

**APPENDIX III**

**N11, 12 and 13; 1d die 2 - 26 plates put to press: 19 recognised by SG.**

- 1 Plate 1a, b and c
- 2 Plate 2a and b
- 3 Plate 3a and b
- 4 Plate 4a and b
- 5 Plate 5a and b
- 6 Plate 6a and b
- 7 Plate 7a and b
- 8 Plate 8a and b
- 9 Plate 9a and b
- 10 Plate 10a and b
- 11 Plate 11
- 12 Plate 12
- 13 Plate 13
- 14 Plate 14
- 15 Plate 15
- 16 Plate 16a and b
- 17 Plate 17
- 18 Plate 18
- 19 Plate 19a and b
- 20
- 21
- 22
- 23
- 24
- 25
- 26